New Microscope Device Heights

07261 PA PAPENDE I NA 13" MIS" 5.5" 5.8" 5.8" 1251 PA PAPENDE I NA 13" MIS" 5.5" 5.8" 5.75 1251 PA PAPENDE I NA 13" MIS" 5.5" 5.5" NA 51241 PA HAILWAY II" 71" 9.5" 5516" 5.5" NA 7016 PA CARPADO NA 13" II.S" 5516" 5.5" NA 12016 PA CARPADO NA 13" II.S" 5516" 5.5" NA 12016 PA CARPADO NA 13" II.S" 5516" 5.5" NA 121 PA HAILWAY NA 13" II.S" 5516" 5.5" NA 1216 PA CARPADO NA 13" 11.S" 5516" 5.5" S.75 1216 PA HAILWAY NA 13" NA 15" 5516 5516 5516 5516 5516 5516 5516	Date	Initials	Device	Media (4-port)	Cells Loading	Cells Running	Water 1 (Across media)	Water 2 (Across cells)	Water Balance (DAW)
1251 RA HAILWAY II" VII" 9.5" 5.5" 5.5" NA 1251 RA HAILWAY II" VII" 9.5" 55/16" 5.5" NA 1251 RA HAILWAY II" VII" 9.5" 55/16" 5.5" NA 12010 RA HAILWAY II" VII" 9.5" 55/16" 5.5" NA 12010 RA HAILWAY II" VII" 9.5" 55/16" 5.5" NA 12010 RA HAILWAY II" VII" 9.5" 55/16" 5.5" NA 12010 RA HAILWAY II NA 12110 RA HAILWAY NA 12110 RA RAYAN NA 12210 RA HAILWAY NA 12210 RA HA			Light I	• 	13"	MI-5"	5·S'1	\	5.5"
2016 RA Hallway II" VII" 9.5" 4" 5.5" NA 5124 RA Hallway II" VII" 9.5" 5111 5.5" S.S'I 5.71 2016 RA Hallway II" VII" 9.5" 55111 5.5" S.S'I 5.71 2016 RA Hallway II" 9.5" 55111 5.5" S.S'I 5.71 2016 RA Hallway II" 9.5" 55111 5.5" S.S'I 5.71 8121 RA Hallway II" 19.5" 55111 5.5" S.S'I 5.71 8124 RA Hallway II" 19.5" 5511 5.5" S.S'I 5.71 8124 RA Hallway II" 19.5" 5511 5.5" S.S'I 5.71 8124 RA Hallway II" 19.5" 5511 5.5" S.S'I 5.71 8124 RA Hallway II" 19.5" 5511 5.5" S.S'I 5.71 8124 RA Hallway II" 19.5" 5511 5.5" S.S'I 5.71 8124 RA Hallway II" 19.5" 5511 5.5" S.S'I 5.71 8124 RA Hallway II" 19.5" 5511 5.5" S.S'I 5.71 8124 RA Hallway II" 19.5" 5511 5.5" S.S'I 5.71 8124 RA Hallway II" 19.5" 19.5" 5511 5.5" S.S'I 5.71 8124 RA Hallway II" 19.5" 19.5" 5511 5.5" S.S'I 5.71 8124 RA Hallway II" 19.5" 19.5" 5511 5.5" S.S'I 5.71 8124 RA Hallway II" 19.5" 19.5" 5511 5.5" S.S'I 5.5" S.S'I 5.71 8124 RA Hallway II" 19.5" 19.5" 19.5" 19.5" S.S'I 5.5" II" 19.5" II" 19.5		RA	extended Sual DAW	\	<u> </u>	L		1	
2016 PA (1.904 2016 PA (1.904	2016	RA	Hallway DAW Hallway	<u> </u>			4"		
2016 BFM Hallway NA 91/2 73/4 41 47/41 10. 10. 10. 10. 10. 10. 10. 10. 10. 10	2014	RA	4.804			\	5 5/We		
8/4/16 BFM Hallway NA 911 3.51 3.51 5 5 6 7 5 6 7 5 6 6 7 5 6 7 5 6 6 7 5 6 6 7 6 6 6 6	2016	\	Mannay			. 43/0	1 4 16	- A-175	1 1
8/4/16 DFM IDAW RILLE 1110 RA HARLWAY FOR THOUGHT NO. 5 8/24/16 BFM DAW 1000 NA 100	14		Hallwar			511	3.511	<u> </u>	
8/21/16 BFM DAW NA 3 ~10 9/23/16 TH PORTON 9/23/16 TH FORTON 9/23/16 TH FORTON 1/3/4 NO.S NO.S 4 33/4 NO.S NO.S 4 3/4 NO.S NO.S 4 3/4 NO.S NO.S 1 4 3/4 NO.S NO.S 1 4 3/4 NO.S NO.S 1 4 3/4 NO.S NO.S NO.S NO.S 1 4 3/4 NO.S NO.S NO.S NO.S 1 4 3/4 NO.S NO.S NO.S NO.S NO.S NO.S NO.S NO.S			1 IDAN			Zong file 1	_0		1-2-
9/23/16 MU Greenan ~70 8 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	 		- July	MOW to it	(Pa) 20-11 Da				
9101110 PA PUVOILLE 1/3/4 1/0.5 NO.3 7 3/2 7 3/8 1/3/4 1/5.4 1/2 1/2 1/2 1/2 1/2 1/2 1/2 1/2 1/2 1/2	ļ	\	Nonow		~70	·		+	
10/7/10 PA Pavalles 12/1 285/4 19514 19514 15514			Nowwwe	X+ 113	4 MO.	5/20	-5 9		
Labor sous Hallway, 10"			1 Pavalle	3 18	11/08		()	14 9	
	101	1100	uallua	1 10	," \~9	1/2 7			
		1.11							
	-								