

Comp 311

Functional Programming

Nick Vrvilo, Two Sigma Investments
Robert “Corky” Cartwright, Rice University

September 5, 2019

Announcements

- Homework 0 is “due” next Thursday
(ensure you can submit your homework without issue!)
- Homework 1 will also be assigned next Thursday

Programming With Intention

- There is far too much broken software in the world...
- The number of mission critical domains affected by programming is increasing
 - Space exploration and satellites, defense, medical devices, automobiles, finance

The Design Recipe

The Design Recipe

- **Analysis:** What are the objects in the problem domain? What data types we will use to represent them?
- **Contract:** What are the names of our functions and their parameters? What are the requirements of the data they consume and produce? What is the meaning of what our program computes?
- **Repeat** until we are confident in our program's correctness
 1. Write some **tests** (start with example inputs/outputs)
 2. Sketch a function **template**
 3. **Define** the function

Example: Calculating Profit for a Movie Theater

(Problem Statement from “How to Design Programs” 2001)

- The owner of a movie theater collected the following data:
 - At \$5.00 per ticket, 120 people attend a performance
 - Decreasing by \$0.10 increases attendance by 15 people
 - A performance costs \$180 plus \$0.04 per attendee
 - Define a function to calculate the exact relationship between ticket price and profit

Analysis

- We are working with monetary values and counts of attendees
- Attendees are whole numbers
- To avoid rounding errors, we will use `Ints` for monetary values
- Therefore all monetary values will be represented in cents

Analysis

- We need to compute *profit*
- Profit is calculated as *revenue - cost*
- Cost is dependent on attendance

Contracts

- First, define a **contract** for our function:
 - What is the name of the function?
 - What considerations should go into the names we choose?
 - What are the static types of the arguments that our function consumes?
 - What other constraints must hold on the values it consumes?
 - What is the static type of its result?
 - What else does it ensure about its result?

Contract for Attendance

```
def attendance(ticketPrice: Int): Int = {  
  require(ticketPrice >= 0)  
  ??? : Int  
} ensuring(result => result >= 0)
```

Scala's ??? Placeholder

- ??? Is a build-in placeholder value in Scala
- Can restrict the placeholder's type like a variable:

??? : Int
- Used to enable compilation of partially implemented code
- Evaluating the placeholder results in a run-time error

Statement of Purpose

- Use a comment to provide a brief statement of the meaning of the function
- Well chosen names for functions and parameters are often some of the best documentation!

Statement of Purpose for Attendance

```
/**  
 * Given a ticketPrice in cents,  
 * returns the number of people expected  
 * to attend a performance.  
 */  
def attendance(ticketPrice: Int): Int = {  
  require(ticketPrice >= 0)  
  ...  
} ensuring(result => result >= 0)
```

Write Some Test Examples

`120 == attendance(500)`

- We can think of tests as constraint equations in algebra
- The program we are constructing is a solution to these constraints

Sketch a Function Template

```
/**  
 * Given a ticketPrice in cents,  
 * returns the number of people expected  
 * to attend a performance.  
 */  
def attendance(ticketPrice: Int): Int = {  
  require(ticketPrice >= 0)  
  an algebraic expression  
} ensuring(result => result >= 0)
```

Defining Functions

- **Design Principle: “Keep It Simple, Stupid”**
- Given the tests we’ve written so far and the template we’ve sketched, write the simplest solution that passes those tests
- Keeping the definition simple will:
 - Force us to include adequate test coverage
 - Help to keep us from over-engineering

Define The Function

```
/**  
 * Given a ticketPrice in cents,  
 * returns the number of people expected  
 * to attend a performance.  
 */  
def attendance(ticketPrice: Int): Int = {  
    require(ticketPrice >= 0)  
    120  
} ensuring(result => result >= 0)
```

We Need More Tests

```
120 == attendance(500)
```

```
135 == attendance(490)
```

Redefinition (Attempt 1)

```
/**  
 * Given a ticketPrice in cents,  
 * returns the number of people expected  
 * to attend a performance  
 */  
def attendance(ticketPrice: Int): Int = {  
  require(ticketPrice >= 0)  
  120 + (500 - ticketPrice) * (15 / 10)  
} ensuring(result => result >= 0)
```

But Now Some Tests Fail

120 == attendance(500)

135 == attendance(490)

Division With Ints

attendance(490) ↪

120 + (500 - 490) * (15 / 10) ↪

120 + 10 * (15 / 10) ↪

120 + 10 * (15 / 10) ↪

120 + 10 * 1 ↪

120 + 10 ↪

130

Redefinition (Attempt 2)

```
/**  
 * Given a ticketPrice in cents,  
 * returns the number of people expected  
 * to attend a performance  
 */  
def attendance(ticketPrice: Int): Int = {  
  require(ticketPrice >= 0)  
  120 + ((500 - ticketPrice) * 3) / 2  
} ensuring(result => result >= 0)
```

Now Our Two Tests Succeed

```
120 == attendance(500)  
135 == attendance(490)
```

Let's Add Harder Tests

```
120 == attendance(500)  
135 == attendance(490)  
0 == attendance(1000)
```

Now our `ensuring` clause fails!

Redefinition (Attempt 3)

```
/**  
 * Given a ticketPrice in cents,  
 * returns the number of people expected  
 * to attend a performance  
 */  
def attendance(ticketPrice: Int): Int = {  
  require (ticketPrice >= 0)  
  max(0, 120 + ((500 - ticketPrice) * 3) / 2)  
} ensuring(result => result >= 0)
```

(To Do: Apply Our Design Recipe to max)

```
def max(m: Int, n: Int) = if (m >= n) m else n
```

Now All Tests Pass

```
120 == attendance(500)  
135 == attendance(490)  
0 == attendance(1000)
```

Let's Add More Tests

```
120 == attendance(500)  
135 == attendance(490)  
0 == attendance(1000)  
0 == attendance(Int.MaxValue)
```

Overflow Does Not Appear To Be a Problem...

```
120 == attendance(500)  
135 == attendance(490)  
0 == attendance(1000)  
0 == attendance(Int.MaxValue)
```

Or Does It...

attendance(2147483647) ↪

max(0, 120 + ((500 - 2147483647) * 3) / 2) ↪

max(0, 120 + (-2147483147 * 3) / 2) ↪

max(0, 120 + -2147482145 / 2) ↪

max(0, 120 + -1073741072) ↪

max(0, -1073740952) ↪

if (0 >= -1073740952) 0 else -1073740952 ↪

0

Bounding Cost of Attendance

- We can determine an exact bound for the maximum allowable parameter to attendance:
 - For each subexpression, solve for the parameter values that would result in overflow:

`(500 - ticketPrice) > Int.MaxValue`

`(500 - ticketPrice) < Int.MinValue`

etc.

Bounding Values Based on Domain Knowledge

- We can also find appropriate bounds by considering the range of values required by our problem domain
 - Often, these bounds will be much tighter
- In our example, we can see from our formula that attendance is zero whenever the cost of a ticket is \$5.80 or above
- We can also see that even free tickets achieve attendance of only 870 people
 - And it is likely that our theater cannot seat 870 people!

Bounding Cost of Attendance

```
def attendance(ticketPrice: Int): Int = {  
  require(0 <= ticketPrice & ticketPrice <= 1000)  
  max(0, 120 + ((500 - ticketPrice) * 3) / 2)  
} ensuring(result => result >= 0)
```

Now We Should Remove Our Test on Int.MaxValue

```
120 == attendance(500)
```

```
135 == attendance(490)
```

```
0 == attendance(1000)
```

```
0 == attendance(Int.MaxValue)
```

Add Let's Add Some More Tests While We're At It

```
120 == attendance(500)  
135 == attendance(490)  
0 == attendance(1000)  
0 == attendance(580)  
2 == attendance(579)  
870 == attendance(0)
```

Now We Can Apply the Design Recipe to Our Remaining Functions

```
/**  
 * Returns cost to the theater of showing a film,  
 * as a function of ticketPrice.  
 */  
def cost(ticketPrice: Int) = {  
  require(0 <= ticketPrice & ticketPrice <= 1000)  
  18000 + 4 * attendance(ticketPrice)  
} ensuring(result => result > 0)
```

Now We Can Apply the Design Recipe to Our Remaining Functions

```
/**  
 * Returns revenue received by the theater when  
 * showing a film, as a function of ticket price.  
 */  
def revenue(ticketPrice: Int) = {  
  require(0 <= ticketPrice & ticketPrice <= 1000)  
  ticketPrice * attendance(ticketPrice)  
} ensuring(result => result >= 0)
```

What Should Be The Ensuring Clause on Profit?

```
/**  
 * Returns profit enjoyed by the theater after showing  
 * a film, defined as the difference between revenue  
 * costs.  
 */  
def profit(ticketPrice: Int) = {  
  require(0 <= ticketPrice & ticketPrice <= 1000)  
  revenue(ticketPrice) - cost(ticketPrice)  
}
```

Following The Design Recipe includes writing tests on all of our newly defined functions

```
35130 == profit(510)
-21480 == profit(0)
-18000 == profit(1000)
...
0 == revenue(0)
0 == revenue(1000)
53550 == revenue(510)
...
18420 == cost(510)
21480 == cost(0)
18000 == cost(1000)
...
```

Can't Forget About Max!

```
Int.MaxValue == max(0, Int.MaxValue)
    0 == max(-1, 0)
    1 == max(-1, 1)
0 == max(0, Int.MinValue)
0 == max(Int.MinValue, 0)
    . . .
```


How Many Helper Functions Should We Include?

As a guideline:

- Include a helper function for each of the dependencies mentioned in your problem statement
- Include a helper function for new dependencies discovered during testing

Inlining Into One Large Function Makes Code Far Less Readable

```
def profit(ticketPrice: Int) = {  
  require(0 <= ticketPrice & ticketPrice <= 1000)  
  
  ticketPrice * max(0, 120 + ((500 - ticketPrice) * 3) / 2) -  
    18000 + 4 * max(0, 120 + ((500 - ticketPrice) * 3) / 2)  
}
```