



Accepting Reality: Full Java

Corky Cartwright
Department of Computer Science
Rice University



What are Language Levels Hiding?


- In principle, nothing...
Java could have supported a notion of *immutable* classes with essentially the same semantics as the DrJava Intermediate Level.
- But Java is what it is ...
- Transforming DrJava IL code to full Java code:
 - Explicit constructors
 - Explicit accessors
 - Explicit overriding of equals
 - Explicit overriding of hashCode()
 - Explicit overriding of toString()



Explicit Constructors


- A constructor definition has the form:

```
<ClassName>(arg1, ..., argn) {  
    <optional supercall on superclass constructor>  
    <code body that initializes instance fields of class>  
}
```
- All fields not initialized in explicit constructors are set to the default value for their respective type: **0** for all primitive number/char types, **false** for **boolean** and **null** for all object (reference) types.
- Multiple constructors are permissible (static overloading).
- If no explicit constructors are provided, Java automatically generates a default 0-ary constructor with an empty body.




Explicit Accessors

- An accessor definition is an ordinary instance method definition of the form:
`<accessorName>() { return <fieldName>; }`
- The choice of `<accessorName>` is arbitrary. I recommend using the corresponding `<fieldName>`. Another common convention is `get<fieldName>`.
- Instance fields should never be `public`.
- Multiple constructors are allowed (static overloading).
- If no explicit constructors are provided, Java automatically generates a default 0-ary constructor with an empty body.




Explicit Overriding of `equals`

- The `equals` method, which has signature,
`public boolean equals(Object other);`
is inherited in any program-defined class from its superclass. In `Object`, `equals` means object identity (same allocation using `new`). This default is almost never the proper definition for an immutable class, but it is usually the right definition for a mutable class.
- In the Java programming culture, the following rule is very widely taught: always override `hashCode`, which has signature:
`public int hashCode();`
when you override `equals`. Their meanings purportedly must preserve the following invariant:
`a.equals(b) → a.hashCode() == b.hashCode()`
This rule is compelling for immutable data but it makes no sense for mutable data. We will discuss this issue in more detail later in the course.



Explicit Overriding of `equals` cont.


- How should we write code to override `equals` an immutable class `C` with fields `f`, `g`, `h`? For the complete answer, look at the `.java` files generated by the DrJava language levels facility. A satisfactory answer in some contexts is the following:
- ```
public boolean equals(Object other) {
 return (other instanceof C) && f.equals(other.f) &&
 g.equals(other.g) && h.equals(other.h);
}
```
- Note: if a field is of primitive type, the proper comparison operator is infix `==`.
- What is wrong with this definition? What happens if we extend class `C`?
- What is fundamentally wrong with using the `==` operator instead of `equals` on object types? Not algebraic (mathematical) equality.



# Explicit Overriding of hashCode

---


- For immutable classes, the preceding invariant linking `equals` and `hashCode` is important because hash tables will break if the invariant is violated.
- We will study hash tables later in the course.
- We defer discussing how to properly override `hashCode` until then.



# Explicit Overriding of `toString`

---

- The default definition of `toString`, which has signature `public String toString();` is awful: `<className>@<hashCode>`.
- Why is `toString` important? This representation is used anytime that an object is printed, e.g. in many testing contexts.



## For Next Class

---

- Homework for next Friday will be posted this afternoon. It consists of doing HW6 (optional) in Java. I will provide you with a Scheme solution that you must translate to Java using stub code that I will provide.
- Language levels are your friend.