

COMP 322: Fundamentals of Parallel Programming

Lecture 9: Java's ForkJoin Library

Mack Joyner
mjoyner@rice.edu

<http://comp322.rice.edu>



Worksheet #8: Classifying different versions of parallel search algorithms

Enter “YES” or “NO”, as appropriate, in each box below

Example: String Search variation	Data Race Free?	Functionally Deterministic?	Structurally Deterministic?
V1: Count of all occurrences	YES	YES	YES
V2: Existence of an occurrence	NO	YES	YES
V3: Index of any occurrence	NO	NO	YES
V4: Optimized existence of an occurrence: do not create more async tasks after occurrence is found	NO	YES	NO
V5: Optimized index of any occurrence: do not create more async tasks after occurrence is found	NO	NO	NO



Updating all Elements in an Array

- Suppose we have a large array a of integers
- We wish to update each element of this array:
 - $a[i] = a[i] / (i + 1)$
- How would we write this as a parallel program using `async` and `finish`?



Recursive Decomposition

```
solve(problem)
    if problem smaller than threshold
        solveDirectly(problem)
    else
        in parallel:
            l = solve(left-half)
            r = solve(right-half)
        combine(l, r)
```

- In general, can create more than 2 sub-problems
- combine then needs to handle all the sub-problems



Update using `async` and `finish`

```
1. sequentialUpdate(a, lo, hi)
2.     for (i = lo; i < hi; i++)
3.         a[i] = a[i] / (i + 1)
4.
5. parallelUpdate(a, lo, hi)
6.     if (hi - lo) < THRESHOLD
7.         sequentialUpdate(a, lo, hi)
8.     else
9.         mid = (lo + hi) / 2
10.        finish
11.            async parallelUpdate(a, lo, mid)
12.            async parallelUpdate(a, mid, hi)
```



Task Parallelism Using Standard JDK Libraries

- Thread objects (prior to JDK 5)
 - Start Runnable task t with $\text{new Thread}(t).\text{start}()$
 - Create new Thread each time asynchronous task needs to be done
- Executors (JDK 5)
 - Handles thread management with thread pools
 - Use $\text{execute}(t)$ to start a task t with no return value
 - ExecutorService allows for tasks with return values (futures)
- ForkJoinTasks (JDK 7) useful for divide and conquer problems
 - Implements work-stealing
- HJLib (JDK 8)



Using Java's Fork/Join Library

We can perform recursive subdivision using the Fork/Join libraries provided in the JDK as follows:

```
public abstract class RecursiveAction extends  
ForkJoinTask<Void> {  
    protected abstract void compute();  
    ...  
}  
  
public abstract class RecursiveTask<V> extends  
ForkJoinTask<V> {  
    protected abstract V compute();  
    ...  
}
```



RecursiveAction Subclass

```
1.class DivideTask extends RecursiveAction {  
2.    static final int THRESHOLD = 5;  
3.    final long[ ] array;  
4.    final int lo, hi;  
5.  
6.    DivideTask(long[ ] array, int lo, int hi) {  
7.        this.array = array;  
8.        this.lo = lo;  
9.        this.hi = hi;  
10.    }  
11.    protected void compute() {...} // next slide  
12.}
```



compute()

```
1.protected void compute( ) {  
2.    if (hi - lo < THRESHOLD) {  
3.        for (int i = lo; i <= hi; ++i)  
4.            array[i] = array[i] / (i + 1);  
5.    } else {  
6.        int mid = (lo + hi) >>> 1;  
7.        invokeAll(new DivideTask(array, lo, mid),  
8.                   new DivideTask(array, mid+1, hi));  
9.    }  
10. }
```



ForkJoinTask<V>

- Similar to a finish block enclosing a collection of asyncs
- Other Fork/Join methods in superclass ForkJoinTask<V>

```
class ForkJoinTask<V> extends Object
    implements Serializable, Future<V>
{
    ForkJoinTask<V> fork()      // asynchronously executes
    V join()                  // returns result when execution completes
    V invoke()                // forks, joins, returns result
    static void invokeAll(ForkJoinTask<?> t1, ForkJoinTask<?> t2)
    ...
}
```



ForkJoinTasks and Futures

- ForkJoinTasks implement the Future interface
- Acts very much like HJLib futures

```
interface Future<V> {  
    V get()  
    V get(long timeout, TimeUnit unit)  
    boolean cancel(boolean interruptIfRunning)  
    boolean isCancelled()  
    boolean isDone()  
}
```



Recursive Array Sum using HJlib

```
1. protected double computeSum(  
2.     final double[] xArray, final int start, final int end)  
3.     throws SuspendableException {  
  
5.     if (end - start < THRESHOLD) {  
  
7.         // sequential threshold cutoff  
8.         return seqArraySum(xArray, start, end);  
  
10.    } else {  
11.        int mid = (end + start) / 2;  
  
13.        HjFuture<Double> leftFuture = future(() -> {  
14.            return computeSum(xArray, start, mid);  
15.        });  
16.        HjFuture<Double> rightFuture = future(() -> {  
17.            return computeSum(xArray, mid, end);  
18.        });  
19.        return leftFuture.get() + rightFuture.get();  
20.    } }
```



Recursive Array Sum using ForkJoinTasks

```
1. protected static class ArraySumForkJoinTask
2.     extends RecursiveTask<Double> {
3.         ...
4.         protected Double compute() {
5.             if (end - start < THRESHOLD) {
6.                 // sequential threshold cutoff
7.                 return seqArraySum(xArray, start, end);
8.             } else {
9.                 final int mid = (end + start) / 2;
10.                final ArraySumForkJoinTask taskLeft =
11.                    new ArraySumForkJoinTask(xArray, start, mid);
12.                final ArraySumForkJoinTask taskRight =
13.                    new ArraySumForkJoinTask(xArray, mid, end);
14.
15.                taskRight.fork();
16.                return taskLeft.compute() + taskRight.join();
17.
18.                // What is wrong with the code below?
19.                // taskLeft.fork();
20.                // return taskLeft.join() + taskRight.compute();
21.            } } }
```



Announcements & Reminders

- Quiz for Unit 2 (topics 2.1 - 2.8) is available on Canvas, due by 11:59pm on Monday, Feb. 10th

