COMP 322 Spring 2017

Homework 1: due by 11:59pm on Wednesday, January 25, 2017

(Total: 100 points)
Instructor: Vivek Sarkar, Co-Instructor: Dr. Mackale Joyner

All homeworks should be submitted through the Autograder introduced in Lab 1, and also committed in the svn repository at https://svn.rice.edu/r/comp322/turnin/S17/your-netid/hw_1 that we will create for you. In case of problems committing your files, please contact the teaching staff at comp322-staff@mailman.rice.edu before the deadline to get help resolving for your issues.

Your solution to the written assignment should be submitted as a PDF file named hw_1_written.pdf in the hw_1 directory. This is important — you will be penalized 10 points if you place the file in some other folder or with some other name. The PDF file can be created however you choose. If you scan handwritten text, make sure that the writing is clearly legible in the scanned copy. Your solution to the programming assignment should be submitted in the appropriate location in the hw_1 directory.

The slip day policy for COMP 322 is similar to that of COMP 321. All students will be given 3 slip days to use throughout the semester. When you use a slip day, you will receive up to 24 additional hours to complete the assignment. You may use these slip days in any way you see fit (3 days on one assignment, 1 day each on 3 assignments, etc.). Slip days will be automatically tracked through the Autograder, more details are available later in this document and in the Autograder user guide.

Other than slip days, no extensions will be given unless there are exceptional circumstances (such as severe sickness, not because you have too much other work). Such extensions must be requested and approved by the instructor (via e-mail, phone, or in person) before the due date for the assignment. Last minute requests are likely to be denied.

If you see an ambiguity or inconsistency in a question, please seek a clarification on Piazza (remember not to share homework solutions in public posts) or from the teaching staff. If it is not resolved through those channels, you should state the ambiguity/inconsistency that you see, as well as any assumptions that you make to resolve it.

Honor Code Policy: All submitted homeworks are expected to be the result of your individual effort. You are free to discuss course material and approaches to problems with your other classmates, the teaching assistants and the professor, but you should never misrepresent someone else's work as your own. If you use any material from external sources, you must provide proper attribution.

1 Written Assignments (50 points total)

As mentioned earlier, your solution to the written assignment should be submitted as a PDF file named hw_1_written.pdf in the hw_1 directory.

1.1 Parallelizing the IsKColorable Algorithm for Undirected Graphs (25 points)

Consider the pseudo-code of the **IsKColorable** algorithm for undirected graphs shown in Algorithm 1 that you learned in COMP 182. *Your assignment is as follows:*

1. (10 points) Create a parallel version of this algorithm using finish and async statements so as to maximize parallelism, while ensuring that the parallel version always computes the same result as the sequential version. You may change data structures (e.g., replace a scalar variable by an array) if needed.

- 2. (5 points) Assume that every comparison operator executed in line 4 takes 1 unit of work, and everything else has zero cost. Is it possible for your parallel algorithm to have a larger value of WORK than the sequential version for a given set of inputs? If so, describe an example when this can happen. If not, explain why not.
- 3. (5 points) Assume that every comparison operator executed in line 4 takes 1 unit of work, and everything else has zero cost. Is it possible for your parallel algorithm to have a smaller value of WORK than the sequential version for a given set of inputs? If so, describe an example when this can happen. If not, explain why not.
- 4. (5 points) Is it possible for your program to exhibit a data race according to the definition introduced in class? If so, would you consider that data race to be a bug?

Algorithm 1: IsKColorable

```
Input: Graph g = (V, E) and k \in \mathbb{N}.

Output: \exists f : V \to [k], \forall \{u, v\} \in E, f(u) \neq f(v).

1 foreach Assignment f of a value in [k] to each node in V do

2 | colorable \leftarrow True;

3 | foreach \{u, v\} \in E do

4 | if f(u) = f(v) then

5 | colorable \leftarrow False;

6 | break;

7 | if colorable = True then

8 | return True;

9 return False;
```

1.2 Amdahl's Law (25 points)

In Lecture 4 (Topic 1.5), you will learn the following statement of Amdahls Law:

If $q \le 1$ is the fraction of WORK in a parallel program that must be executed sequentially, then the best speedup that can be obtained for that program, even with an unbounded number of processors, is Speedup $\le 1/q$.

Now, consider the following generalization of Amdahls Law. Let q1 be the fraction of WORK in a parallel program that must be executed sequentially, q2 be the fraction of WORK that can use at most 2 processors, and (1-q1-q2) the fraction of WORK that can use an unbounded number of processors. The fractions of WORK represented by q1, q2, and (1-q1-q2) are disjoint, and cannot be overlapped with each other in a parallel execution. Your assignment is is as follows:

- 1. (10 points) Provide the best possible (smallest) upper bound on the Speedup as a function of q1 and q2.
- 2. (15 points) Explain your answer, and justify why it is a correct upper bound.

Hints:

- As with Amdahl's Law, your answer should not include the number of processors, P. It should be an upper bound that applies to all values of P.
- To check your answer, consider the cases when q1 = 0 or q2 = 0.

2 Programming Assignment (50 points)

2.1 Habanero-Java Library (HJ-lib) Setup

See the Lab 1 handout for instructions on HJ-lib installation for use in this homework, and Lecture 3 for information on abstract execution metrics.

2.2 Parallel Sort (50 points)

In this homework, we have provided you with sequential implementations of different sorting algorithms. Each of these sorting algorithms have been implemented in a file of their own, e.g. QuickSort.java, BitonicSort.java, MergeSort.java, etc. As in lab_1, the homework project will be available in your svn repository at https://svn.rice.edu/r/comp322/turnin/S17/your-netid/hw_1.

Your assignment is to write a correct parallel version of any sort algorithm that you choose by overriding the parSort() method. The goal is to obtain the smallest possible CPL value that you can for the given input, as measured using abstract execution metrics. A secondary goal is to not increase the WORK value significantly when doing so, but some increase is fine. Your edits should be restricted to the file for that given sort algorithm and the sortInstance() method in Homework1.java. A correct parallel program should generate the same output as the sequential version, and should not exhibit any data races. The parallelism in your solution should be expressed using only async, finish, and/or future constructs. It should pass the unit tests provided, and other tests that the teaching staff will use while grading.

For the abstract metrics in this assignment, we only count 1 unit of work for each call to compareTo(), and ignore the cost of everything else. While this seems idealistic, it is a reasonable assumption when sorting is performed on objects with large keys.

Your submission should include the following in the hw_1 directory:

- 1. (25 points) A complete parallel solution for a sorting algorithm of your choice in a modified Java file. For example, if you chose to parallelize Merge Sort, you need to ensure MergeSort.java is included in your submission. In addition, you will need to edit the sortInstance() method in Homework1.java to return an instance of MergeSort. We will only evaluate its performance using abstract metrics, and not its actual execution time.
 - 15 points will be allocated based on the ideal parallelism that you achieve. You will get the full 15 points if you achieve a CPL of $(log_2n)^2$ for an array of n elements, or better.
 - 10 points will be allocated for coding style and documentation. We have provided the basic checkstyle rules as part of your Maven project. At a minimum, all code should include basic documentation for each method in each class. You are also welcome to add additional unit tests to test corner cases and ensure the correctness of your implementations.
- 2. (15 points) A report file formatted as a PDF file named hw_1_report.pdf in the hw_1 directory. The report should contain the following:
 - (a) A summary of your parallel algorithm. You should write a few sentences describing the approach and the algorithm.
 - (b) An explanation as to why you believe that your implementation is correct and data-race-free.
 - (c) An explanation of what values of WORK and CPL (as formulae of n) you expect to see from your algorithm.
- 3. (10 points) The report file should also include test output for sorting an array of size n = 1024 (i.e. the unit test name testRandomDataInput1K). The test output should include the WORK, CPL, and IDEAL PARALLELISM (= WORK/CPL) values from each run.

3 Submitting Your Assignment

In COMP 322, we will use the Autograder to handle assignment testing and submission. If you have not already, please read the COMP 322 Autograder Guide, which details how homework submissions are made through the Autograder.

Testing homeworks in the Autograder requires the same process as testing labs. You may upload your working solution as many times as you like using either a ZIP or through your hw_1 SVN folder, and the Autograder will automatically verify the correctness and style of your solution for the programming portion. The written portion will of course be manually graded by the teaching staff.

For this homework, you need to ensure that an Autograder run has been marked as your final submission prior to the homework deadline, and also committed in the svn repository at https://svn.rice.edu/r/comp322/turnin/S17/your-netid/hw_1. The teaching staff will use the results of that Autograder run and the files submitted with it (source code, report, and written portions) to grade your assignment. The copy in svn will ensure that we have a backup copy of your submission for safekeeping.